


ROUTING			
TO:	NAME AND ADDRESS	DATE	INITIALS
1			
2			
3			
4			
	ACTION	DIRECT REPLY	PREPARE REPLY
	APPROVAL	DISPATCH	RECOMMENDATION
	COMMENT	FILE	RETURN
	CONCURRENCE	INFORMATION	SIGNATURE
REMARKS:			
FROM: NAME, ADDRESS, AND PHONE NO.			
DATE			


SECRET 288


(Security Classification)



25X1

CONTROL NO. Z-11540/82COPY NPIC/PEG (10/82)
OF


Warning Notice
 Intelligence Sources or Methods Involved
NATIONAL SECURITY INFORMATION
 Unauthorized Disclosure Subject to Criminal Sanctions

**SECRET**

(Security Classification)

Page Denied

Next 1 Page(s) In Document Denied

SECRET

25X1

(c) NATIONAL PHOTOGRAPHIC INTERPRETATION CENTERPage 1 of 1

Attachment to Z-11540/82

Copy _____

NPIC/PEG (10/82)

**BUILDING DISMANTLEMENT
PLESETSK MOBILE ICBM FACILITY 1, USSR**

25X1

1. (SWN) SIGNIFICANCE: ADDITIONAL SINGLE-BAY DRIVE-IN GARAGE DISMANTLEMENT HAS TAKEN PLACE AT TWO OF THE MOBILE ICBM FACILITIES AT PLESETSK MISSILE/SPACE TEST CENTER (PMSTC) SINCE

25X1

2. (SWN) REMARKS: AT PLESETSK MOBILE ICBM FACILITY 1, THE SHEETING MATERIAL HAS BEEN REMOVED FROM THE WALLS AND THE ROOF OF A SECOND SINGLE-BAY DRIVE-IN GARAGE. THE FRAMEWORK FOR THIS BUILDING REMAINS IN PLACE. SOME OF THE FRAMEWORK MAY HAVE BEEN REMOVED FROM THE GARAGE BEING DISMANTLED ON

25X1

(SWN) AT PLESETSK MOBILE ICBM FACILITY 2, AN ADDITIONAL SINGLE-BAY DRIVE-IN GARAGE IS PROBABLY BEING DISMANTLED. THERE ARE NOW TWO GARAGES BEING DISMANTLED AT EACH MOBILE MISSILE FACILITY.

(SWN) THE SINGLE-BAY DRIVE-IN GARAGES WERE NOT CONSTRUCTED AT THE OTHER TWO MOBILE MISSILE-ASSOCIATED BASES AT PMSTC: PLESETSK LAUNCH TEST SITE 5 AND PLESETSK LAUNCH TEST SITE 6. EACH OF THESE FACILITIES WAS IMAGED TODAY AND NO SIGNIFICANT ACTIVITY WAS OBSERVED.

25X1

25X1

3. COORDINATES 62-57-47N 040-24-46E
COORDINATES 62-58-58N 040-46-24E
COORDINATES 62-51-17N 040-34-29E

25X1

COMMENTS AND QUERIES REGARDING THIS BRIEFING BOARD MAY BE DIRECTED TO

25X1

These notes have been prepared for briefing purposes only and should not be used for detailed analytical work. Their use should be restricted to the particular briefing board(s) they were prepared for and must be considered valid only for the reporting period as indicated by the date of issue.

25X1

WARNING NOTICE
Intelligence Sources
and Methods Involved

SECRET

25X1